NOCOR 4085

P214.9406

WBM Drilling

Product Description

NOCOR™ 4085 is a highly active corrosion inhibitor which controls corrosion due to H2S in dehydrated gas lines as well those which have a low concentration of corrosive liquids.

Product Function

NOCOR™ 4085 should be injected continuously into the system. Typical dosage rates would be 10–20 liters per MMCM or 0.6–1.2 pints per MMSCF.

Features and Benefits

NOCOR™ 4085 provides maximum control over long distances for highly corrosive systems having a high ratio of hydrocarbon- to-water, including low areas in the system where corrosive attack occurs. NOCOR™ 4085 has shown to provide excellent metal protection against H2S corrosion. NOCOR 4085 will prevent corrosion caused by CO2 as well as H2S gases which have come absorbed into water or glycol/water mixtures. NOCOR 4085 is so formulated that the active ingredients will remain in liquid form when injected into the gas stream, will mix with the corrosive liquids and consequently protect the metal surfaces. NOCOR 4085 is non–emulsifying, thermally stable at temperatures in excess of 150oC and does not cause foaming or upsets in gas sweetening or glycol dehydration processes.

Recommended Treatment

International Shipping References

Transportation of NOCOR™ 4085 is not restricted by any regulatory agency.

Standard Packing

NOCOR™ 4085 is packaged in 55 USG HDPE drum.

Safe Handling Recommendations

Utilize normal precautions for employee protection when handling chemical products. Utilize appropriate respirator, gloves, goggles and apron. Refer to the Material Safety Data Sheet (MSDS) for this product prior to use.

Typical Physical Properties

- Physical State: Liquid
- Reservoir Compatible: Both
- Sub Category: Water Soluble
- SG value: 1.04
- pH (Neat): 9 -12
- Max Temperature: 302
- Category: Corrossion Inhibitors
- Product Tier: Regular
- Appearance: Brown liquid
- Specific Gravity (25 ?C): 1.03 - 1.05

+971 2 610 7000
info@ppc.ae | www.ppc.ae
Abu Dhabi | UAE

PETROCHEM
DRILLING FLUIDS SOLUTIONS
A MAZRUI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.