TRUSCAV OS

P129.1702

OBM Drilling

Product Description

TRUSCAV™ OS is triazine based organic product which is effective in scavenging hydrogen sulphide in Crude oil and oil based drilling and completion fluids.

Product Function

Hydrogen Sulphide is a poisonous gas that is deadly at high concentrations and provides serious health threats at moderate concentrations. Operating problems caused by H2S can include severe corrosion and fouling, and injection well plugging with iron sulfide TRUSCAV - OS is a triazine base product. It's application of choice are non-aqueous environments such as, H2S removal from Oil system, and scavenging of vessels containing residual Hydrocarbon without the introduction of the water soluble product.

Features and Benefits

TRUSCAV™ OS is completely oil soluble and reacts immediately with H2S. TRUSCAV™ OS does not require an alkaline environment to neutralize the H2S present in the crude oil and other oil based fluid. TRUSCAV™ OS is compatible with all types of crude oils.

Recommended Treatment

TRUSCAV™ OS treatment rates can vary depending on gas and fluid makeup, along with application.

International Shipping References

UN Number : 2735 ADR Class : 8 ADR Pack Group : III ICAO Class : 8 ICAO Pack Group : III IMDG Class : 8 IMDG Pack Group: III

Standard Packing

TRUSCAV™ OS is available in 165kg Steel Drums. It is stable under normal storage conditions in unopened containers. Store in a cool, dry, shaded area away from heat & direct sunlight. Recommended storage temp is 50 – 100 °F.

Safe Handling Recommendations

Harmful if swallowed. May cause irritation to the skin or eyes. Consult MSDS prior to use and wear recommended PPE.

Typical Physical Properties

- Physical State: Liquid
- Reservoir Compatible: Both
- Sub Category: Triazine
- SG value: 0.83
- Clarity: Clear to slightly hazy
- Viscosity (25? C): <50.0 cPs
- Solubility: Soluble in Xylene
- Max Temperature: 350
- Category: H?S Scavengers
- Product Tier: Premium
- Appearance: Colourless to Yellow liquid
- Specific Gravity (25 ?C): 0.810 - 0.850
- Flash Point: >61? C

+971 2 610 7000
info@ppc.ae | www.ppc.ae
Abu Dhabi | UAE

PETROCHEM
DRILLING FLUIDS SOLUTIONS
A MAZRUI ENERGY SERVICES COMPANY

Petrochem Performance Chemicals Limited LLC believes in good faith that the information presented in this bulletin is accurate and reliable. No other representation or warranties are given or made in relation to the information or the products of whatsoever nature, and Petrochem Performance Chemicals Limited LLC assumes no responsibility for advice or recommendations made herein or any other information disseminated concerning this product. Petrochem Performance Chemicals Limited LLC will replace or issue credit for the purchase price of any product determined to be defective at delivery. Under no circumstances shall Petrochem Performance Chemicals Limited LLC or its responsible personnel be liable for any special or consequential damages whatsoever.